

## Laboratory SPJ And SLJ Manual Test Stand Stable Operate Vertical Test Stand





#### • Product Details:

- Place of Origin: China
- Brand Name: YUYANG
- Certification: EN71-1
- Model Number: YY1110

## • Payment & Shipping Terms:

- Minimum Order Quantity: 1 set
- Price: Negotiation
- Packaging Details: **Plywood Box**
- Delivery Time: 3-5 work days
- Payment Terms: T/T L/C Western Union
- Supply Ability: **10 sets per month**

• Share to :

### I'm Online Chat Now

# Laboratory SPJ And SLJ Manual Test Stand , Stable Operate Vertical Test Stand

	Product D	etails:
	Place of China Origin:	
	Brand Name: YUYAN	NG
	Certification: EN71-1	-
	Model <b>YY1110</b> Number:	0
	Payment & Ship Minimum Order Quanti	
	Price:	Negotiation
	Packaging Details:	Plywood Box
	Delivery Time:	3-5 work days
	Payment Terms:	T/T, L/C, Western Union
Large Image : <u>Laboratory SPJ And SLJ</u> Manual Test Stand , Stable Operate	Supply Ability:	10 sets per month
<u>Vertical Test Stand</u>	Chat Now	
Detailed Product Description		
<b>Product Name:</b> Toys Testing Equipmer	nt Usage:	Manual Vertical Test Stand- Tension
Mandrel Material: Stainless Steel	Capacity:	500N

# Laboratory SPJ and SLJ Toys Testing Equipment Manual Vertical Test Stand-Tension

# **Product information:**

Manual test stands offer basic testing and economy, lever models offer rapid testing and wheel models precise control. Combine with any of the standard range Imada force gauges and special attachments to create specific force measurement applications for push, pull, snap, peel, penetration, etc. Capacities up to 500 Newtons.

## SPJ

Capacity: 500N Stroke: 75mm L:235XW: 152XH:400 mm Net Weight: 9.8Kg SPJ is a Manual operation, easy and stable

SPJ is a Manual operation, easy and stable to operate. May install the stand on table for using, this installation is more steady. Compact construction. SPJ can be fixed digital distance meter to measure the distortion.

# SLJ

SLJ is a tester stand especially designed to match SN,SH series .and can be combined into a wide use of stand ,which usually applied in various testing purpose, such as switch test, connector insertion/withdraw test, and fracture tester. Vertical and Horizontal model. Manual operation, T-screw stroke power transfer, Easy and stable to operate. May install the stand on table for using, this installation is more steady. Capacity: 500N Stroke: 150mm L:250XW: 152XH:540 mm Net Weight: 8.8kg SLJ can be fixed digital distance meter to measure the distortion.



