

THE ASIA'S  
TECHNOLOGY LEADER

A SINGLE-SOURCE SUPPLIER OF STRAPPING MACHINE



# THE ASIA'S TECHNOLOGY LEADER

A SINGLE-SOURCE SUPPLIER OF STRAPPING MACHINE



[Home](#) > [PRODUCTS](#) > [Automatic Strapping Machines](#) > [TP-702RSS Mercury for Small or Round Package \(stainless steel frame SUS](#)

## PRODUCTS

- [Strapping Tools](#)
- [Semi-Auto Strapping Machines](#)
- [Automatic Strapping Machines](#)
- [Fully Automatic Strapping Machines](#)
- [Corrugated Strapping Machines](#)
- [Print Media Strapping Machines](#)

## TP-702RSS Mercury for Small or Round Package (stainless steel frame SUS304)



TP-702RSS is a high-speed automatic strapping machine with stainless steel frame (SUS 304). It provides reliable high speed performance for small or round package applications and is ideal for moist working environment, such as meat, seafood, poultry, and agricultural processing plants.

[INQUIRY](#)

### Features

- Robust & compact mechanical strapping head
- Free access to strap guides (*patents registered*)
- Waist-high quick coil change (*patents registered*)
- Waist-high auto strap feeding
- Turnable operating control panel
- Auto strap ejector
- Dispenser release switch
- Sensor controlled heater
- Low voltage
- Strap end ejector
- Front foot bar switch
- Adjustable table height between 820 mm and 920 mm

### Options

- Photo-eye switch
- Rear foot bar switch
- Foot pedal switch
- Lower adjustable table height (770-820 mm)
- Stainless steel frame SUS 304 (TP-702RSS)

### Green Tech



**TRANSPAK**  
TRANSPAK EQUIPMENT CORP.

DISTRIBUTOR SITE

EN/中文/JP



Search

PRODUCTS

INDUSTRY SOLUTIONS

ABOUT US

NEWS

FAQ

#### Technical Data

Capacity	Up to 65 cycles/minute
Strap Width	5 mm, 6 mm, or 9 mm
Tension Range	1 - 32 kg
Weight	158 kg
Electrical Requirements	110V, 220V, 230V, 240V 50/60Hz 1PH

**ALL PRODUCTS ARE WELL MADE BY OUR ISO 9001 CERTIFIED FACTORY IN TAIWAN, WITH PRIDE.**

🏠 15F-1, NO. 17, SEC. 1, CHENGDE ROAD, TAIPEI 103, TAIWAN    ✉ transpak@tran  com.tw

☎ TEL +886 2 2555 2515    📠 FAX +886 2 2555 2516