



- Location :
- [Home](#)
- > [Product](#)
- > [Environmental test device](#)
- > [Aging experiment box](#)



Sand and dust test chamber H-VYD1000

Release date : 2020-06-03

•

- [Details](#)



1. 产品用途

沙尘试验箱乃针对各种材料及制品，于自然环境中因受风沙、温度产生各种沙尘吹袭状况，而使其发生磨损、侵蚀、阻塞、隔热、绝缘等不良老化现象，是模拟合乎实际状况之测试设备，该设备适用于汽机车零件，灯具，摩托车零部件外壳做防护防尘试验。

3. 产品参数

1. 工作室尺寸

(L×W×H)mm : 1000×1000×1000

2. 外形尺寸

(W×D×H)mm : 1500×1200×2000

3. 容积 (L) : 1000L

4. 温度范围: 室温~70℃, 可设定调控

5. 滑石粉用量: 2kg/m³

6. 压降: 2kPa (20mbar)

7. 材料: 内外胆均采用 SUS304 高级不锈钢板

8. 控制器: 控制器 采用可编程控制器 (此控制器具备下述多种任意设定控制功能)

a. 吹尘时间 (停、吹) h/m/s 可调

b. 循环周期: 任意可调

c. 预设试验时间: 0s~999h99m99s 任意可调

d. 通电: 断一通一断

9. 金属筛网尺寸: 标称线径 50um, 线间标称间距 75um (粉尘尺寸)

10. 吹风机: 全塑离心风机

11. 试件电源插座: 防尘插座

Recommended

•



Automatic tool metallographic measuring instrument V400

•



Automatic tool metallographic measuring instrument V800

•




Automatic tool metallographic measuring instrument V1800

•



Automatic tool metallographic measuring instrument V2000



GUANGDONG JINUOSH TECHNOLOGY CO., LTD

Building 28, Guanghui Industrial Zone, Dongke Road, Dongcheng District, Dongguan City,
Guangdong Province 0769-2282-0867

•

•

•

•

•

GUANGDONG JINUOSH TECHNOLOGY CO., LTD All rights reserved Company address: Building 28,
Guanghui Industrial Zone, Dongke Road, Dongcheng District, Dongguan City, Guangdong
Province Service Hotline: 188-9871-9887 · 0769-22820867