



- Location :
- [Home](#)
- > [Product](#)
- > [Environmental test device](#)
- > [Aging experiment box](#)



Tower UV weathering test box H-NC300


Release date : 2020-06-03

•

- [Details](#)

塔式紫外线耐候试验箱

H-NC300



1. 产品用途

紫外线耐候试验箱采用最佳类比阳光中 UV 段光谱的荧光紫外灯，并结合控温、供湿等装置来类比对材料造成变色、亮度、强度下降、开裂、剥落、粉化、氧化等损害的阳光（UV 段）高温、高湿、凝露、黑暗淋雨周期等因素，同时通过紫外光与湿气之间的协同作用使得材料单一耐光能力或单一耐湿能力减弱或失效，从而广泛用于对材料耐候性能的评价。

3. 产品参数

1. 内箱尺寸：D400×W1140×H390（mm）
 2. 外箱尺寸：D500×W1300×H1360（mm）
 3. 性能：光照、冷凝、喷淋试验周期可调
 4. 温度范围：RT+10℃→70℃
 5. 控制精度：±0.5℃ 计时：1s~9999h
- 波长范围：UVA 范围为 315-400nm；UVB 范围为 280-315nm
6. 灯源：进口 UVA-340/UVB-313 紫外灯管 8 支
 7. 标准试件：75×290mm（24 付）
 8. 试样架：铝合金框式基架视板
 9. 灯源至试件距离：50±3mm
 10. 内箱体材质：SUS404# 不锈钢。
 11. 电源：220V 功率 4.5KW

Recommended

•



Automatic tool metallographic measuring instrument V400

•



Automatic tool metallographic measuring instrument V800

•



Automatic tool metallographic measuring instrument V1800

•



Automatic tool metallographic measuring instrument V2000

GUANGDONG JINUOSH TECHNOLOGY CO.,
LTD

Building 28, Guanghui Industrial Zone, Dongke Road, Dongcheng District, Dongguan City,
Guangdong Province 0769-2282-0867

•

•

•

•

•

GUANGDONG JINUOSH TECHNOLOGY CO., LTD All rights reserved Company address: Building 28,
Guanghui Industrial Zone, Dongke Road, Dongcheng District, Dongguan City, Guangdong
Province Service Hotline: 188-9871-9887 0769-22820867

[Home](#)

[Product](#)

[Map](#)

[About us](#)