

JIRY(0) CONTACT

DISTRIBUTOR SITE

EN/中文/JP▼

Search

PRODUCTS

INDUSTRY SOLUTIONS

ABOUT US

NEWS

FAQ

THE ASIA'S TECHNOLOGY LEADER





A SINGLE-SOURCE SUPPLIER OF STRAPPING MACHINE



ŵ > PRODUCTS > Corrugated Strapping Machines > TP-702CQ3-S High Speed Corrugated Strapper with Integrated Squaring System

PRODUCTS

- Strapping Tools
- Semi-Auto Strapping Machines
- Automatic Strapping Machines
- Fully Automatic Strapping Machines
- Corrugated Strapping Machines



JIRY(0) CONTACT DISTRIBUTOR SITE EN

EN/中文/JP▼

Search

PRODUCTS

INDUSTRY SOLUTIONS

ABOUT US

NEWS

FAQ

Strapping Heads

TP-702CQ3-S High Speed Corrugated Strapper with Integrated Squaring System



TP-702CQ3-S is an all-electric high-speed corrugated strapper with integrated squaring and backstop functions. It is built on the quality proven Transpak TP-702C corrugated strapper and carries all the innovative features of the TP-702C. Motorized squaring and backstop devices provide precise bundle handling and positioning for forming perfect bundles. It can meet the speed requirement of the fastest Flexo Folder Gluer and Casemaker.











Features

- Compact & robust strapping head
- 3-side squaring bundle control
- Automatic bundle size setup system
- Motorized full-width press bar
- Siemens PLC and HMI (touch panel)
- Good for small bundle
- Free access to strap guides (patents registered)
- · Hinged roller table

Options

- Dual dispensers with auto coil change
- Light tower with low strap sensor
- Energy saving transit with auto sleep mode
- Floor rails
- Foot pedal switch
- Bus interface for bundle size data transfer from upstream equipment

Technical Data

Arch Size	1650 mm (W) x 450 mm(H)
Capacity	Up to 26 bundles/minute (single strap) Up to 13 bundles/minute (double straps)
Strap Width	5 mm, 6 mm, or 9 mm
Tension Range	1 - 32 kg
Electrical Requirements	220V, 380V, 400V, 415V 50/60Hz 3PH





ALL PRODUCTS ARE WELL MADE BY OUR ISO 9001 CERTIFIED FACTORY IN TAIWAN, WITH PRIDE.

ŵ 15F-1, NO. 17, SEC. 1, CHENGDE ROAD, TAIPEI 103, TAIWAN ☑ transpak@transpak.com.tw ② TEL +886 ↑ 55 2515



⇔ FAX +886 2 2555 2516